



easySCOPE 400

X-ray inspection system for medium-sized products in the hygiene industry

Reliable foreign body detection and quality control

easySCOPE X-ray inspection systems make no compromises with X-ray and computing performance. Unlike many other products, all of our systems allow the inspection of products with high density or fast throughput without high additional costs. A standard package of functions and algorithms also allows the implementation of a reliable programme for foreign body control and quality improvement in the basic version.




The compact design allows retrofitting even in confined spaces. During the development, special attention was paid to making the most important operating steps as self-explanatory as possible for the respective user groups. Regular maintenance work such as belt changes or the renewal of protective curtains can be performed in just a few steps.




Conformity to standards and directives.

One of the most important criteria for the successful installation of an inspection system is ensuring compliance with the requirements of legislation, trade organizations and management. On the software side, standard features such as password-protected user management, automatic test requests or various reporting options provide valuable services. The sophisticated structure of our devices ensures compliance with the relevant hygiene guidelines.



Safety for the production of hygiene articles

The focus of inspection systems in the investigation of napkins, sanitary towels or cotton pads is on monitoring outgoing goods. Foreign bodies made of metal, glass or stone must be removed reliably, and other quality defects must be reduced as much as possible. This ranges from a piece of glass shards in make-up removal pads to a chip of metal in a tampon. These are a critical means of meeting stringent quality guidelines. For incoming goods and production, they reduce costs and increase process reliability - for example, by monitoring raw materials such as non-woven fabrics or protecting cutting machines.



Your wishes, our task

Solutions tailored to the customer facilitate integration, save costs and reduce introduction barriers, especially with existing product lines. This may include special feed belts, separation devices or combinations with metal detectors. We always work in dialogue with our customers in order to ensure a result that is reliable and as economical as possible. This is made possible by our competent team of employees. The essence of Mesutronic is its high affinity for creative solutions in all areas, from sales to application, mechanical and electronic development, up to production and after-sales. It is supported by modern work equipment and a process world embedded in ISO 9001.







Ready for the future? We say: Yes!

Depending on the type of electronics used, our systems can already be connected as standard via analogue signals, various bus systems or Ethernet to PLCs, process control systems or other machines in the line. With digital networking the OPC UA protocol, in addition to other protocols, is used here for the smooth transmission of operating conditions and production-critical values. These basic functions can be supplemented with the mesuLINK network software, the mesuREMOTE remote maintenance tool or the mesuEXPORT reporting feature to allow full use of the potential of digitisation and Industry 4.0.





No compromises, always there for you

During the entire life cycle of the inspection system, from project planning to commissioning, the productive phase until a fault occurs, a professional, agile and attentive service team decides on the ultimate effectiveness of the inspection programme installed by the customer. At Mesutronic, the customer is at the heart of everything we do in all these phases. This starts with a system concept that places functionality above yields and ends with an after-sales service for fast, reliable help that comes as standard. Our training offer is tailored to your needs and increases the competence of every level of personnel that comes into contact with our systems.



Headquarter Germany

- Mesutronic GmbH Hackenfeld 13 94259 Kirchberg im Wald Germany
- +49 9927 9410 0



- Mesutronic Inc. 4502 Southmark Dr. Salisbury, NC 28147 USA
- +1 980 265 4015



- Mesutronic France SAS 11, rue de Mittlerweg F-68000 Colmar France
- +33 03 89 20 43 98
- contact@mesutronic.fr www.mesutronic.fr



You can find further international partners on our website at www.mesutronic.de/en/contact/